CONTENTS OF VOLUME 418

November 1989

EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Task-dependent changes in cutaneous reflexes recorded from various muscles controlling finger movement in man. 1

DATTA A.K., HARRISON Linda M. & STEPHENS J.A. Task-dependent changes in the size of response to magnetic brain stimulation in human first dorsal interosseous muscle. 13

BETZ W.J., CHUA M. & RIDGE R.M.A.P. Inhibitory interactions between motoneurone terminals in neonatal rat lumbrical muscle. 25

COHEN B.N., FAIN Gordon L. & FAIN Margery J. GABA and glycine channels in isolated ganglion cells from the goldfish retina 53

FAIN Gordon L. & FARAHBAKHSH Nasser A. Voltage-activated currents recorded from rabbit pigmented ciliary body epithelial cells in culture. 83

MATTHEWS Gary, NEHER Erwin & PENNER Reinhold Second messenger-activated calcium influx in rat peritoneal mast cells 105

MATTHEWS Gary, NEHER Erwin & PENNER Reinhold Chloride conductance activated by external agonists and internal messengers in rat peritoneal mast cells. 131

FERRELL William R. & SMITH Allan The effect of loading on position sense at the proximal interphalangeal joint of the human finger. 145

BOUNTRA C. & VAUGHAN-JONES R.D. Effect of intracellular and extracellular pH on contraction in isolated, mammalian cardiac muscle. 163

ST JOHN Walter M. & ZHOU Dan Differing control of neural activities during various portions of expiration in the cat 189

GARLAND C.J. Influence of the endothelium and α-adrenoreceptor antagonists on responses to noradrenaline in the rabbit basilar artery 205

BENNETT Max R. & LAVIDIS Nickolas A. The probability of quantal secretion at release sites in different calcium concentrations in toad (*Bufo marinus*) muscle. 219

BENNETT Max R., LAVIDIS Nickolas A. & LAVIDIS-ARMSON F. The probability of quantal secretion at release sites of different length in toad (*Bufo marinus*) muscle. 235

DUGGAN K.A., HAWLEY C.M., MACDONALD G.J. & SHELLEY S. Sodium depletion decreases hepatic metabolism of vasoactive intestinal peptide in the rabbit 251

AL-BARAZANJI K.A. & BALMENT R.J. Central and peripheral effects of the peptide ANF on renal function and blood pressure in hypertensive rats. 261

CHODOBSKI Adam & MCKINLEY Michael J. Cerebral regulation of renal sodium excretion in sheep infused intravenously with hypertonic NaCl. 273

BEECH D.J. & BOLTON T.B. Two components of potassium current activated by depolarization of single smooth muscle cells from the rabbit portal vein. 293

CADY E.B., JONES D.A., LYNN J. & NEWHAM D.J. Changes in force and intracellular metabolites during fatigue of human skeletal muscle. 311

CADY E.B., ELSHOVE H., JONES D.A. & MOLL A. The metabolic causes of slow relaxation in fatigued human skeletal muscle. 327

EDWARDS A.V. & JONES C.T. Adrenal responses to splanchnic nerve stimulation in conscious calves given naloxone. 339

GALLAGHER Joel P. & HASUO Hiroshi Excitatory amino acid receptor-mediated EPSPs in rat dorsolateral septal nucleus neurones *in vitro*. 353

GALLAGHER Joel P. & HASUO Hiroshi Bicuculline- and phaclofen-sensitive components of *N*-methyl-D-aspartate-induced hyperpolarizations in rat dorsolateral septal nucleus neurones. 367

KARSCHIN Andreas & LIPTON Stuart A. Calcium channels in solitary retinal ganglion cells from post-natal rat. 379

GRINNELL Alan D. & PAWSON Peter A. Dependence of spontaneous release at frog junctions on synaptic strength, external calcium and terminal length. 397

BALLESTA J.J., BORGES R., GARCÍA A.G. & HIDALGO M.J. Secretory and radioligand binding studies on muscarinic receptors in bovine and feline chromaffin cells. 411

GAGE Peter W., LAMB Graham D. & WAKEFIELD Bruce T. Transient and persistent sodium currents in normal and denervated mammalian skeletal muscle. 427

MATSUDA H., MATSUURA H. & NOMA A. Erratum: Journal of Physiology 413 (1989) 441

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

21–22 *July* 1989

Cambridge Meeting

DEMONSTRATIONS

Matthews H.R. A laboratory-instrument controller based on a single-chip microcomputer. 2*P*

Gallagher J., Garlick P., Hamann W., Keévil S., Petriccione di Vadi P., Porter D. & Wedley J.R. The use of magnetic resonance spectroscopy in assessing the efficacy of chemical lumbar sympathectomy in ischaemic vascular disease. 3*P*

Dearnley D.P., Gomez S., Hall M., Lush D., Pope R. & Watson M.S. A computerized system for analysing lung function data in man. 4*P*

Tansey E.M. The scientific achievements of Lord Adrian, FRS (1899–1977). 5*P*

Harrison Linda M., Ironton R. & Stephens J.A. Cross correlation analysis of multi-unit EMG recordings in man. 6*P*

Luxon L.M., Merton P.A., Morton H.B. & Secker B. A rotating chair for investigation of vestibulo-ocular function in man. 7*P*

Flores N.A., Juhasz C., Sheridan D.J. & Winterton S.J. An IBM PC AT based system for the analysis of cardiac action potentials in real time. 8*P*

Maconochie D.J. & Martin J.L. The direct fitting of a differential equation to exponential data. 9*P*

COMMUNICATIONS

Leuchtag H. Richard Na-channel gating as a ferroelectric-superionic phase transition. 10*P*

Forster I.C. & Greeff N.G. The quantal gating charge of sodium-channel inactivation in the squid giant axon (*L. forbesii*). 11*P*

Keynes R.D. An 8-state 5-stage model of the voltage-gated sodium channel. 12*P*

Giraldez F., Sepúlveda F.V., Sheppard D.N. & Valverde M.A. Potassium currents in isolated *Necturus* enterocytes. 13*P*

Mackie G.O. & Meech R.W. Potassium channel family in the axons of jellyfish *Aglantha digitale*. 14*P*

Meves H., Pohl J.-A. & Rubly N. A slow component in the gating current on-response of the frog node of Ranvier. 15*P*

Abbott N. Joan & Brown E.R. Effects of osmotic manipulation on extracellular routes for ion regulation in the squid Schwann cell. 16*P*

Southan A.P. & Wann K.T. High helium pressure modifies the repetitive discharge of CA1 pyramidal neurones in the rat hippocampus *in vitro*. 17*P*

Rubinstein Chaim T. & Shrager Peter Optical recording of action potentials in demyelinated and remyelinating frog nerve fibres. 18*P*

Clapp L.H. & Gurney A.M. Multiple effects of nitroprusside on membrane currents in smooth-muscle cells isolated from rabbit pulmonary artery. 19*P*

Kao C.Y., Wakui M., Wang S.Y. & Yoshino M. The outward current of the isolated rat myometrium. 20*P*

Plant T.D. Effects of 1,2-dioctanoyl-*sn*-glycerol (DiC_8) on ionic currents in cultured mouse pancreatic B-cells. 21*P*

Macherey H.-J., Petersen K.-U., Sprakties G. & Winterhager J.-M. Effects of putative Cl channel blockers on electroneutral and electrogenic HCO_3 secretion by guinea-pig gallbladder epithelium *in vitro*. 22*P*

Field M., Grenspan N.R., Sullivan S.K. & Swamy K. Phorbol myristate acetate (PMA) inactivates an epithelial potassium channel from flounder intestine expressed by *Xenopus* oocytes. 23*P*

Lory P., Nargeot J., Rassendren F.A. & Tiaho F. Properties of L-type Ca channels expressed in *Xenopus laevis* oocytes by injection of rat heart mRNA. 24*P*

Lory P., Nargeot J., Richard S. & Tiaho F. Bay K 8644 slows inactivation of cardiac Ca channel current via a cyclic AMP-dependent mechanism in single rat ventricular myocytes. 25*P*

Sitsapesan R. & Williams A.J. Caffeine activation of single calcium-release channels from the sheep cardiac sarcoplasmic reticulum. 26*P*

Hadley R.W. & Lederer W.J. L-type calcium channel gating current in isolated guinea-pig ventricular myocytes. 27*P*

Agus Z.S., Dukes I.D. & Morad M. Divalent cations modulate transient outward current in isolated rat ventricular myocytes. 28*P*

Lee K.S. Potentiation of the L-type Ca^{2+} channels is critically dependent on the resting membrane potentials in single guinea-pig ventricular cells. 29*P*

Ganitkevich V. & Isenberg G. Importance of current through L-type Ca-channels at the resting potential for the Ca balance of single coronary arterial myocytes of the guinea-pig. 30*P*

Balke C.W. & Wier W.G. Two types of calcium current in isolated guinea-pig ventricular myocytes: accurate separation by voltage-dependence of steady-state inactivation. 31*P*

Bahinski Anthony, Gadsby David C., Greengard Paul & Nairn Angus C. Chloride conductance regulated by protein kinase A in isolated guinea-pig ventricular myocytes. 32*P*

Dukes Iain D. & Morad Martin Tedisamil increases the rate of inactivation of the transient outward current in single rat ventricular myocytes. 33*P*

Adams M.E., Bindokas V.P., Dolphin A.C. & Scott R.H. The inhibition of Ca^{2+} channel currents in cultured neonatal rat dorsal root ganglion (DRG) neurones by ω-Agatoxin-1A (a funnel web spider toxin). 34*P*

Kelly J.S. & Penington N.J. 5-Hydroxytryptamine inhibits the voltage-dependent calcium current of acutely dissociated central neurones from the adult rat dorsal raphe nucleus. 35*P*

Docherty R.J., Fiekers J.F., Wood J.N. & Yeats J.C. Histamine and prostaglandin D_2 modulate voltage-dependent calcium currents in adult rat sensory neurones in culture. 36*P*

Braun M., Haydon D.A. & Murrell R.D. The effects of *n*-alcohols on the nicotinic acetylcholine receptor channel in cultured rat myotubes. 37*P*

Cachelin A.B. & Neuhaus R. The effect of Mg^{2+} on currents through single acetylcholine channels of rat PC12 cells. 38*P*

Harvey R.D. & Hume J.R. Isoprenaline activates a chloride conductance in isolated guinea-pig and rabbit ventricular myocytes. 39*P*

Cohen I. & Tromba C. Inactivation of i_{k1} in isolated canine Purkinje myocytes is induced by isoprenaline but not blocked by propranolol. 40*P*

Earm Y.E., Ho W.K. & So I.S. Time course of Na–Ca exchange current in isolated rabbit atrial cells. 41*P*

Levi Allan J. A reduction of calcium current partly underlies action potential shortening with strophanthidin in isolated ventricular myocytes from the guinea-pig. 42*P*

Gasser R. & Vaughan-Jones R.D. Myocardial ischaemia: release of potassium can be inhibited by tolbutamide and glibenclamide in isolated guinea-pig papillary muscle. 43*P*

Hume J.R. & Leblanc N. Sarcoplasmic reticulum Ca^{2+} release in guinea-pig ventricular myocytes in the absence of Ca^{2+} current. 44*P*

Bernengo J.-C., Lemtiri-Chlieh F., Ojeda C. & Platonoff N. Measurement of cytosolic free Ca in cultured rat neonate and adult guinea-pig ventricular cardiac myocytes. 45*P*

Poggioli Josiane & Renard Dominique Effect of protein kinase C activation on GTP-mediated activation of a Ca-dependent phosphoinositidase C in rat heart. 46*P*

Chapman R.A. & Suleiman M.S. The effect of hypothermia on $[Na]_i$ and tension development during the Ca paradox in isolated ferret ventricular muscle. 47*P*

Donoso P., Eisner D.A. & O'Neill S.C. Measurement of intracellular $[Na^+]$ in isolated rat cardiac myocytes using the fluorescent indicator SBFI. 48*P*

Cecchi G., Colomo F., Poggesi G. & Tesi C. A simple method to measure isometric twitch tension in single frog cardiac cells. 49*P*

Roos K.P. & Taylor S.R. Striation dynamics in isolated rat cardiac myocytes revealed by computer vision. 50*P*

Blackshaw Susanne E. & Rowlerson Anthea M. ATPase activity and antibodies to vertebrate slow myosins distinguish fibre types in leech body wall muscle. 51*P*

Goldspink Geoffrey & Williams Pamela E. The effect of immobilization on gene expression and post-natal determination of muscle fibre type in the mouse soleus muscle. 52*P*

Ranatunga K.W. & Thomas P.E. Differences in the extent of transformation in cross-reinnervated rat soleus muscle. 53*P*

Bigland-Ritchie B., Johansson R.S., Thomas C.K. & Westling G. Twitch fusion in human motor units studied by motor axon stimulation. 54*P*

Baskin R.J., Shen S. & Yeh Y. Optical measurements on isolated single fibres from insect flight muscle. 55*P*

Inoué Shinya & Oldenbourg Rudolf Polarized light microscopy of striated muscle and analysis of edge birefringence. 56*P*

Irving M., Kendrick-Jones J., Shrimpton C. & Sleep J. The orientation of rhodamine probes attached to myosin light chain-2 (LC-2) in relaxing and rigor conditions in single fibres isolated from rabbit psoas muscle. 57*P*

Ashley C.C., Bagni A., Cecchi G., Griffiths P.J. & Maeda Y. Time-resolved X-ray diffraction studies on intact single muscle fibres of *Rana temporaria*. 58*P*

Brenner B., Ferenczi M.A., Irving M., Kaplan J., Simmons R.M. & Towns-Andrews E. Structural changes upon activation of single isolated muscle fibres of the frog by photolysis of 'caged calcium' studied by time-resolved X-ray diffraction. 59*P*

Fenton M.J. & Lea T.J. Rapid activation of scallop skinned muscle fibres by laser photolysis of nitr-5. 60*P*

Dantzig J.A., Goldman Y.E., Luttmann M.L., Trentham D.R. & Woodward S.K.A. Binding of caged ATP diastereoisomers to rigor cross-bridges in glycerol-extracted fibres of rabbit psoas muscle. 61*P*

Homsher E. & Millar N.C. Tension transients induced by photolysis of caged phosphate in glycerinated rabbit soleus muscle fibres. 62*P*

Allen T.StC. & Gordon A.M. Cycling cross-bridges produce structural changes in Troponin-C in demembranated fibres of rabbit psoas muscle. 63*P*

Kawai M. & Marcussen B. Kinetics of MgATP binding, oscillatory power production, and the rate-limiting step in isolated insect muscle fibres. 64*P*

Lombardi V. & Piazzesi G. Mechanical properties of tetanized frog muscle fibres during the transitory phase of force response to lengthening. 65*P*

Burton K. The magnitude of the force rise after rapid shortening and restretch in fibres isolated from rabbit psoas muscle. 66*P*

Metzger Joseph M. & Moss Richard L. Effects on tension and stiffness due to reduced pH in isolated rabbit fast- and slow-twitch single skeletal muscle fibres. 67*P*

Godt R.E. & Kentish J.C. Effect of pH on isometric force, MgATPase and tension-cost of skinned skeletal muscle fibres of the rabbit and cardiac muscles from rat. 68*P*

Baylor S.M., Hollingworth S. & Konishi M. Calcium transients in intact single frog skeletal muscle fibres measured with the fluorescence indicator dye Mag-fura-2. 69*P*

Lamb G.D. & Stephenson D.G. Activation and reduction of calcium release in skinned muscle fibres from the cane toad. 70*P*

Dauzenroth M-E., Dolly J.O., Habermann E., Mochida S., Poulain B., Tauc L., Wadsworth J.D.F. & Weller U. Light chain of tetanus toxin can be internalized into a cholinergic synapse of *Aplysia* by the heavy chain of botulinum neurotoxin and depresses the transmitter release. 71*P*

Syed N.I. & Winlow W. An identified, high-order neurone driving the whole animal withdrawal response in *Lymnaea*. 72*P*

Clowry G.J. & Matthews Margaret R. The effects of innervation of an inappropriate target, and exogenous ganglioside treatment, upon the retrograde axonal transport of HRP in axotomized hypoglossal neurones in the rat. 73*P*

Andersson P.-O., Sjögren C., Uvnäs B. & Uvnäs-Moberg K. The role of vasoactive intestinal polypeptide (VIP) in mediating responses of the urinary bladder to stimulation of the pelvic and hypogastric nerves in anaesthetized dogs. 74*P*

Gunasena Karen T., Morrison J.F.B., Nimmo A.J. & Whitaker Elaine M. The effect of oestradiol and progesterone on neurokinin receptors in rat uterus. 75*P*

Chernaeva L. The effect of neuropeptide Y on noradrenergic transmission in isolated guinea-pig vas deferens. 76*P*

Fern Robert & Harrison P.J. The sequence of pressure-induced conduction failure of myelinated fibres in the isolated sciatic frog nerve (*Rana temporaria*) is dependent upon the pressure applied. 77*P*

Huxley Virginia H. & Meyer D.J. Jr Volume status dependence of atrial peptide-induced changes in capillary water conductance: evidence from individually perfused mesenteric microvessels of decerebrate leopard frogs. 78*P*

Turner M.R. Permeability of monolayers of cultured bovine endothelium in the presence and absence of bovine serum albumin. 79*P*

Born G.V.R. & Shafi Shahida Evidence against the atherogenic passage of low-density lipoproteins between vascular endothelial cells in conscious rabbits. 80*P*

Acatauassú-Nunes R., Albuquerque A.M.T., Prist R. & Rocha e Silva M. Haemodynamics of cardiac tamponade after hypertonic NaCl (7·5%) Dextran-70 (6%) – HSD – injections in anaesthetized dogs. 81*P*

Bennett T., Gardiner S.M. & Tomlinson K.C. Cardiovascular and drinking responses to intracerebroventricular angiotensin II in streptozotocin-treated rats. 82*P*

Buch J., Coats A., Conway J., Murphy C. & Sleight P. The baroreflex control of cardiac function in man. 83*P*

Lovick T.A. Effect of 5-HT in the ventrolateral medulla on the pressor response and analgesia evoked by stimulation of the dorsal periaqueductal grey matter in anaesthetized rats. 84*P*

Gong Q.L. & Li P. Inhibitory effect of nucleus raphe obscurus on the pressor response to stimulation of the hypothalamic and midbrain defence areas in the anaesthetized rabbit. 85*P*

Paton J.F.R., Silva-Carvalho L., Spyer K.M. & Thompson C.S. Role of the nucleus tractus solitarius in mediating the parabrachial pressor response in the decerebrate rabbit. 86*P*

Baker G.F. & Widdas W.F. Red cell volume compensation in isosmotic glucose. 87*P*

Bergfeld G. & Forrester T. Efflux of adenosine triphosphate from human erythrocytes in response to a brief pulse of hypoxia. 88*P*

Hall A.C., Harvey C.M., Hendry B.M. & Lucio F.J. Effects of hydrostatic pressure and membrane cholesterol depletion on L-lysine transport in human erythrocytes. 89*P*

Cavieres J.D. & Walton T. Pre-steady-state kinetics of product release by Na,K-ATPase purified from pig kidney. 90*P*

Harvey Brian J. Water fluxes and conductive proton passage across apical and basolateral cell membranes of oxytocin-treated isolated frog skin and urinary bladder: evidence for a common pathway. 91*P*

Shirley D.G., Skinner J. & Walter S.J. Effect of sodium depletion on renal lithium reabsorption in conscious rats. 92*P*

Reast Rebecca & Sage Stewart O. Evidence for biphasic calcium influx evoked by ADP in Fura-2-loaded human platelets. 93*P*

Mahaut-Smith M.P. Activation of Ca-dependent K channels in rat thymic lymphocytes by a mitogenic lectin. 94*P*

Almers W., Iwata A., Spruce A.E. & White J.M. Patch clamp studies of fusion of human erythrocytes to murine fibroblasts mediated by influenza virus fusion protein. 95*P*

Dunne M.J., Gallacher D.V., Petersen O.H. & Yule D.I. The electrogenic sodium–alanine co-transport system in RINm5F insulin-secreting cells: patch-clamp and single cell $[Ca^{2+}]_i$ measurements. 96*P*

Ekström J., Garrett J.R., Månsson B. & Proctor G.B. Changes in protein composition of parotid saliva from anaesthetized rats after chronic sympathectomy, assessed by hydrophobic interaction chromatography. 97*P*

Anderson L.C. & Suleiman A.H. Effects of streptozotocin-induced diabetes on sympathetically evoked submandibular salivary secretion in anaesthetized rats. 98*P*

Camello P.J., Francis L.P., Madrid J.A., Pariente J.A., Salido G.M. & Singh J. Phorbol ester stimulates juice secretion and inhibits secretin-evoked secretory response in the pancreas of the anaesthetized rat. 99*P*

Madrid J.A., Pozo M.J. & Salido G.M. Cholecystokinin evokes contraction of gallbladder and sphincter of Oddi in the anaesthetized dog. 100*P*

Barkley G.L., Gardner-Medwin A.R., Moran J., Nagel-Leiby S., Simkins R.T., Tepley N. & Welch K.M.A. Magnetic fields during spreading depression in the cortex of anaesthetized rabbits. 101*P*

Farmer S.F., Ingram D.A., Roche S.W. & Stephens J.A. Evidence that mirror movements in the Klippel–Feil syndrome in man are produced by activity in branched-stem presynaptic inputs from corticospinal neurones. 102*P*

Bennett K.A., Lemon R.N. & Werner W. Indirect excitation of corticospinal neurones by intracortical stimulation in the conscious monkey. 103*P*

Llewellyn M., Prochazka A. & Yang J.F. Human H-reflexes are reduced in difficult beam-walking compared to stance and normal walking. 104*P*

Gomez K. & Taylor A. Spectral analysis of the demodulated EMG in isometric and isotonic human muscle contractions. 105*P*

Kirkwood P.A. & Sears T.A. Field potentials in the contralateral ventral horn evoked by individual thoracic respiratory interneurones in the anaesthetized cat. 106*P*

Berman N.J., Douglas R.J. & Martin K.A.C. The conductances associated with inhibitory postsynaptic potentials are larger in visual cortical neurones *in vitro* than in similar neurones in intact, anaesthetized rats. 107*P*

Salt T.E. & Sillito A.M. The NMDA-receptor mediated component of the visual response of cells in the feline dorsal lateral geniculate nucleus (dLGN) in the absence of corticofugal feedback. 108*P*

Hankins M.W. & Ikeda H. Properties of excitatory amino acid receptors on rod driven horizontal cells in the isolated rat retina. 109*P*

Phillis J.W. & Walter G.A. Hypoxaemia-evoked release of inhibitory and excitatory amino acids from the superfused cerebral cortex of the anaesthetized rat. 110*P*

Haydon P.G., Lukowiak K., Man-Son-Hing H.J. & Zoran M.J. Mechanisms of synaptic plasticity: modulation of secretory apparatus in cultured neuronal somata of *Helisoma trivolvis*. 111*P*

Ben Ari Y., Cherubini E. & Gaiarsa J.L. A strychnine-insensitive modulation by glycine of GABA-mediated giant depolarizing potentials in immature rat hippocampal slices. 112*P*

Salt T.E. Effects of cortical inactivation on responses of ventrobasal thalamus (VB) neurones to somatosensory stimuli in the anaesthetized rat. 113*P*

Cervero F. & Laird Jennifer M.A. Effects of reversible spinalization on the receptive field properties of dorsal horn neurones in anaesthetized rats. 114*P*

Boissonade F.M. & Matthews B. The effects of anaesthesia on the properties of neurones in the trigeminal brain-stem nuclei of the cat. 115*P*

Kirchhoff C.G., Reeh P.W. & Waddell P.J. Sensory endings of C- and A-fibres are differentially sensitive to tetrodotoxin in the rat skin *in vitro*. 116*P*

Neuber-Hess M. & Rose P.K. Morphology of axon terminals on proximal and distal dendrites of neck motoneurones in the anaesthetized cat. 117*P*

Castellani L., Franzini-Armstrong C. & Loesser K. Shape, size and disposition of feet in junctions between transverse tubules and sarcoplasmic reticulum of Bivalvia, Insecta, Crustacea and Arachnida. 118*P*

Gonzalez-Serratos H., Inesi G. & Ortega Alicia Effects of D-600 on isolated fibres and isolated sarcoplasmic reticulum of frog skeletal muscle. 119*P*

Hou T.-t., Johnson J.D. & Rall J.A. Mg^{2+} and Ca^{2+} dissociation rates from frog parvalbumin at 0 °C: implications for role of parvalbumin in skeletal muscle relaxation. 120*P*

Huang C.L.-H. & Peachey L.D. Charge movements during a frog skeletal muscle action potential. 121*P*

Colamartino G., Menini A. & Torre V. The blocking effect of divalent cations on the cyclic GMP-activated current in excised patches from retinal rods of the tiger salamander. 122*P*

Menini Anna The effect of hydrogen ions on the cyclic GMP-activated currents carried by Na^+, K^+ or Li^+ in excised patches from retinal rods of the salamander. 123*P*

Baro I., Eisner D.A., Fry C.H., Liston T.G., Montgomery B.S.I. & Raimbach S.J. Measurement of intracellular pH in isolated ferret detrusor smooth muscle cells. 124*P*

Boron W.F., Boyarsky G., Ganz M.B. & Schlue W.-R. The effect of DIDS on pH regulation of isolated single rat mesangial cells examined in the absence of HCO_3^-. 125*P*

Schwiening Christof J. & Thomas Roger C. Mechanism of intracellular pH (pH_i) regulation by isolated locust neurones. 126*P*

Case R.M., Seo Y. & Steward M.C. Regulation of intracellular pH in the isolated, perfused rabbit mandibular salivary gland studied by ^{31}P NMR spectroscopy. 127*P*

Biscoe T.J. & Duchen M.R. Hypoxia raises intracellular calcium in Type I cells isolated from the rabbit carotid body. 128*P*

Brown V., Carlisle A.J. & Mitchell M.A. Avian plasma concentrations of zinc; responses to stressors in the domestic fowl (*Gallus domesticus*). 129*P*

Aota S. & Randall D.J. Catecholamines and the central control of breathing in fish. 130*P*

Anderson L.S., Butler P.J., Roberts C., Smale K., Snow D.H. & Woakes A.J. Partial pressures of arterial and end-tidal gases during graded exercise in thoroughbred race-horses. 131*P*

Bevan R.M. & Butler P.J. Oxygen consumption during voluntary diving in the tufted duck, *Aythya fuligula*, acclimated to summer and winter temperatures. 132*P*

Taylor E.W. & Wilson R.W. The cardiovascular and respiratory responses to intra-arterial injection of adrenaline in the dogfish *Scyliorhinus canicula* L. 133*P*

Bourne G.B. & McMahon B.R. Control of cardiac output and its distribution in crustacean open circulatory systems. 134*P*

Backhouse S.S., Harper A.A., van Vliet B.N. & West N.H. Localization and conduction velocities of arterial baroreceptors in the anaesthetized snake. 135*P*

Kroese A.B.A., Prins M. & Schellart N.A.M. Regional differences in conduction velocity and fibre diameter in posterior lateral line afferent axons in the trout. 136*P*

Eddy F.B., Grierson C., Hazon N. & Smith N.F. Effects of atrial natriuretic peptide (ANP) on circulatory and ion regulatory physiology of rainbow trout (*Salmo gairdneri* Richardson) fed normal or high levels of dietary salt. 137*P*

Barker P.M., Markiewicz M., Parker K.A., Strang L.B. & Walters D.V. Induction of the adrenaline-dependent reabsorption of lung liquid in the fetal sheep by synergistic action of triiodothyronine and hydrocortisone. 138*P*

Clark H.W. & Jacobson W. Detection of pulmonary surfactant in human amniotic fluid by polarized light microscopy. 139*P*

Levy A. & Lightman Stafford L. Posterior pituitary vasopressin mRNA in salt loaded rats: effects of pituitary stalk transection. 140*P*

Bullivant E.M.A. & Muñoz D.J.B. A natriuretic substance is released from the kidney in response to low rates of saline infusion into the renal artery of the anaesthetized rat. 141*P*

Brown J. & Czarnecki A. Subtypes of specific binding of α-atrial natriuretic peptide (α-ANP) in rat brain. 142*P*

Jackson A.A., Slevin K. & Waterlow J.C. A model of whole body protein turnover in man that includes a pool turning over by life-time kinetics. 143*P*

Aiken S.P., Horn N.M. & Saunders N.R. Effect of histidine on zinc distribution in anaesthetized rats. 144*P*

Harris H.W. Jr, Janoshazi A., Kikeri D., Solomon A.K. & Zeidel M.L. Proton permeability of toad bladder aggrephore membranes: role of the water channel in proton transport. 145*P*

Bigelow D.J., Clarke D.M., Inesi G., Loo T.W., MacLennan D.H. & Squier T.C. Correlation of function and molecular structure in the calcium transport ATPase of sarcoplasmic reticulum isolated from rabbit skeletal muscle. 145*P*

POSTER COMMUNICATIONS

Llewellyn M., Prochazka A. & Trend P. Control of ankle extensor activation prior to and after foot contact in cat step cycle. 146*P*

Haydon P.G., Lukowiak K., Man-Son-Hing H.J. & Zoran M.J. Mechanisms of synaptic plasticity: Use of a giant soma–soma synapse in cultured neuronal somata of *Helisoma trivolvis*. 147*P*

Brown M.C., Lunn E.R. & Perry V.H. The route taken by axons growing down an intact distal nerve stump in mice. 148*P*

Campbell E.A., Dray A., Perkins M.N. & Shaw W. Analgesic and anti-inflammatory activity of resiniferatoxin in the mouse and rat: comparison with capsaicin. 149*P*

Bettaney J., Dray A. & Forster P. Resiniferatoxin: a capsaicin-like activator of peripheral fibres of the neonatal rat tail *in vitro* 150*P*

Nistri A., Sivilotti Lucia & Welsh Diana M. Effects of NMDA and its antagonists on excitatory synaptic transmission in the frog optic tectum *in vitro*. 151*P*

Mazda Genie Y., Nistri A. & Sivilotti Lucia Inhibition of GABA-induced responses by Cl^- transport inhibitors in the frog optic tectum *in vitro*. 152*P*

Eysteinsson Thor, Horiguchi Masayuki & Kundaiker Satish Spatial and temporal limitations of suppressive rod–cone interaction in *Xenopus* H-cells. 153*P*

Blatter L.A., Buri Arlette & McGuigan J.A.S. Free intracellular magnesium concentration in isolated ferret ventricular muscle and in frog skeletal muscle measured with ion-selective microelectrodes containing the new magnesium sensor ETH 5214. 154*P*

Ferenczi M.A., Goldman Y.E. & Trentham D.R. Relaxation of permeabilized, isolated muscle fibres of the rabbit by rapid chelation of Ca^{2+}-ions through laser pulse photolysis of 'caged-BAPTA'. 155*P*

Fink R.H.A. & Hillman G.M. Increased calcium release from the sarcoplasmic reticulum of normal and dystrophic isolated murine skeletal muscle in the presence of 4-aminopyridine. 156*P*

Levine Rhea J.C. Relaxed thick filaments from vertebrate and invertebrate striated muscles have overlapping myosin heads. 157*P*

Fortune N.S., Geeves M.A. & Ranatunga K.W. Tension transients initiated by pressure perturbation in isolated rabbit skinned muscle fibres. 158*P*

Rosenblatt J. David Return and subsequent diminution of the relative contractile force in rat extensor digitorum longus muscles following bupivacaine injection. 159*P*

Peckham M., Sparrow J.C. & White D.C.S. Mechanical responses of skinned flight muscle from mutants of *Drosophila melanogaster* with abnormal amounts of actin or myosin. 160*P*

Claflin Dennis R., Faulkner John A. & Ward Christine E. Force–velocity relationships for isolated mouse soleus muscles during after-loaded and quick-released isotonic contractions. 161*P*

Stephenson D.G. & West J.M. Can the contractile apparatus in single muscle fibres from the extensor claw muscle of the yabby be fully activated by Sr^{2+} and Ca^{2+}? 162*P*

Edwards R.H.T., Gibson H. & Gregson J.M. The effect of length on frequency-dependent force generation in human quadriceps muscle. 163*P*

Edwards R.H.T., Gibson H. & Gregson J.M. Length dependence of activation during isometric muscle fatigue in man. 164*P*

Vaughan-Jones R.D. & Wu Mei-Lin Intracellular intrinsic buffering power varies with pH_i in the isolated sheep cardiac Purkinje fibre. 165*P*

Bers Donald M. & Harrison Simon M. Troponin-C replacement modifies the temperature-dependence of myofilament Ca-sensitivity of skinned cardiac muscle isolated from the rat. 166*P*

Bryant S.M., Hart G. & Ryder Kathryn O. Captopril reduces L-type calcium current in isolated guinea-pig ventricular myocytes. 167*P*

Bridge John H.B., Smolley John R. & Spitzer Kenneth W. A discrete inward Na^+–Ca^{2+} exchange current accompanies the mechanical relaxation of isolated guinea-pig ventricular cells. 168*P*

Christé G., De la Chapelle B., Lemtiri-Chlieh F. & Ojeda C. Presence of a Cs-resistant transient outward current which distorts I_{Ca} measurements in guinea-pig single ventricular cells. 169*P*

Sipido K.R. & Wier W.G. $[Ca^{2+}]_i$ transients in isolated guinea-pig ventricular myocytes in the absence of sodium–calcium (Na–Ca) exchange and sarcoplasmic reticulum function. 170*P*

Burke E.P. & Sanders K.M. Sodium-pump current in canine colonic myocytes is sufficient to provide a large contribution to membrane potential. 171*P*

Leoty C. & Noireaud J. Two components of potassium contractures in isolated ferret cremaster fibres. 172*P*

van Helden D.F. Noradrenaline-induced transient depolarizations in the smooth muscle of isolated guinea-pig mesenteric lymphatics. 173*P*

Dauncey M.J. & Morovat A. Cold-induced changes in nuclear 3,5,3′-triiodothyronine receptors of porcine skeletal muscle. 174*P*

Dauncey M.J., Holder G., Ingram D.L., Rudd B.T. & Shakespear R.A. Thermal and nutritional regulation of insulin-like growth factor-I and cortisol in the young pig. 175*P*

McHale N.G. & Thornbury K.D. Increased leucocyte output from the popliteal node in response to stimulation of the sympathetic chain in the anaesthetized sheep. 176*P*

Moshi M.J., Parratt J.R., Wainwright C.L. & Zeitlin I.J. Acid optimum kinin-forming enzymes in dog cardiovascular tissues. 177*P*

Berthon B., Champeil P., Claret M., Combettes L., Doucet E. & Orlowski S. Fast kinetics of calcium release induced by myo-inositoltrisphosphate in permeabilized rat hepatocytes. 178*P*

Barros L.F., Bustamante J.C., Jarvis S.M. & Yudilevich D.L. Binding of nitrobenzylthioinosine, an inhibitor of facilitated-diffusion nucleoside transport, to brush-border and basal membrane vesicles isolated from the human placenta. 179*P*

Hunter M. & Hurst A.M. Acid-inhibition of channels in the apical membrane of isolated frog diluting segment. 180*P*

Delamere Nicholas A. & Paterson Christopher A. Studies on calcium transport in a rabbit lens membrane vesicle preparation. 181*P*

Powis D.A. Sodium–calcium exchange in cultured bovine chromaffin cells. 182*P*

Adams D.J., van Breemen C., Cannell M.B. & Sage S.O. Na:Ca exchange in Fura-2-loaded bovine pulmonary artery endothelial cell monolayers. 183*P*

Gee H. & Taylor E.W. Detection of sinus arrhythmia in the human fetus *in utero* using ultrasound and Doppler blood-flow waveforms in the major vessels. 184*P*

Johnson M.S., MacEwan D.J., Mitchell R. & Thomson F.J. Lithium enhances the inhibitory effect of protein kinase C on LHRH-induced $^{45}Ca^{2+}$ influx into rat anterior pituitary tissue *in vitro*. 185*P*

Johnson M.S., MacEwan D.J. & Mitchell R. Depolarization-induced $^{45}Ca^{2+}$ influx into rat anterior pituitary cells *in vitro* can be modulated in two ways by protein kinase C. 186*P*

Tattersall J.E.H. Acetylcholinesterase reactivators block open nicotinic ion channels in isolated adult mouse muscle fibres. 187*P*

Davies N.W., Standen N.B. & Stanfield P.R. The kinetic behaviour of K_{ATP} channels in isolated membrane patches of frog skeletal muscle is regulated by internal pH. 188*P*

Ball F.G., Sansom M.S.P. & Usherwood P.N.R. A comparison of different gating models for voltage- and receptor-gated ion channels. 189*P*

Lee K.S. & Tsai T.D. Open channel block of the fast inward sodium current by TTX in single monkey heart cells? 190*P*

Bennett P.B. Block of guinea-pig cardiac sodium channels by lidocaine and glycylxylidide. 191*P*

Ben Ari Y. & Krnjević K. The ATP-sensitive K^+ channel opener diazoxide reduces anoxic depolarzation in rat CA3 hippocampal neurones in isolated slices. 192*P*

Buckingham S.D., Harrison J.B., Leech C.A. & Sattelle D.B. Nicotinic acetylcholine receptor activation in dissociated neurones from *Periplaneta americana* and *Musca domestica*. 193*P*

Holden-Dye L., Parri H.R. & Walker R.J. Anion selectivity of the GABA-operated channel in somatic muscle cells of the parasitic nematode *Ascaris suum*. 194*P*

Cull-Candy S.G., Mathie A., Symonds C.J. & Wyllie D.J.A. Distribution of quisqualate and kainate receptors in rat type-2 astrocytes and their progenitor cells in culture. 195*P*

Bowie D. & Smart T.G. Properties of a kainate receptor expressed in *Xenopus laevis* oocytes after injection with bovine brain mRNA. 196*P*

Jahr C.E. & Lester R.A.J. Depression of calcium currents by quisqualic acid in neonatal rat hippocampal neurones in culture. 197*P*

Burke W., Earle J.W. & Goldsmith Robyn F. Transmitter metabolic changes in the decerebrate cat. 198*P*

Collman P.I. & Davison J.S. Vagal and splanchnic pathways are involved in the intestino-gastric inhibitory reflex in the anaesthetized ferret. 199*P*

Laughlin S.B. & Weckström M. The activation of a slow voltage-depedent potassium conductance is crucial for light adaptation in blowfly receptos. 200*P*

Dunlop W., Gillespie J.I., Greenwell J.R. & Otun H. Measurements of intracellular calcium (Ca_i^{2+}) and sodium (Na_i^+) in single cultured rat smooth muscle cells (A10) using the fluorescent dyes Fura-2 and SBFI. 201*P*

Holmberg S.R.M. & Williams A.J. Effects of doxorubicin and mitoxantrone on single calcium release channels from isolated sheep cardiac sarcoplasmic reticulum. 202*P*

Hardie R.C. Ionic channels in dissociated retinal neurones of the blowfly. 203*P*

Gamble Theresa S., Popp David & Stewart Alex A.E. Time-resolved X-ray diffraction measurements of the isolated ABRM from *Mytilus edulis*. 204*P*